Plant Pathology

A record of current work on plant diseases and pests

INDEX
VOLUME 17, 1968

Author : *pages* iii-iv
Subject : *pages* v-viii

LONDON : HER MAJESTY'S STATIONERY OFFICE

AUTHOR INDEX

ALONSO, ANNETTE. *Phoma* sp., on the Fern *Pteris cretica*, 191-2.

BAKER, PATRICIA M. (*joint author*) see Gostick, K.G., 182-3.

BARDNER, R., LOFTY, J. R., HUSTON, P. and MASKELL, F. E. Movement and Oviposition of Wheat Bulb Flies, 97-103.

BLASDALE, P. (*joint author*) see Shaw, M. W., 190.

BRODIE, J. An Apparatus for Separating Round Cysts of the Genus *Heterodera* from Dry Float Debris, 151-4.

BROWN, MARION, E. and PREECE, T. F. Examination of Cucumber Seed for *Mycosphaerella melonis*, 116-8.

BRUNT, A. A. Tobacco Streak Virus in Dahlias, 119-22.

CHADBURN, BARBARA L. (*joint author*), see Rosser, W. R., 51-60.

CHALK, T. E. (*joint author*), see Melville, S. C., 95.

COAKER, T. H. (*joint author*) see Wright, D. W., 178-81.

CROPLEY, R. The Identification of Plum Pox (Sharka) Virus in England, 66-70.

DICKENS, J. S. W. The Resistance of Various Cultivars and Species of Chrysanthemum to White Rust (*Puccinia horiana* Henn.), 19-22.

DUTHOIT, CECILY M. G. Cereal Leaf Miner in the South-east Region, 61-3.

EVANS, S. G. *Phytophthora cinnamomi* causing a basal rot of *Chamaecyparis lawsoniana*, 143-4.

FLEGG, J. J. M. (*joint author*) see Graham, C. W., 191.

FRENCH, N., VERNON, J. D. R. and WOODVILLE, H. C. Cyclamen Mite (*Steneotarsonemus pallidus* Banks) on Chrysanthemums, 143.

GAIR, R. Population Changes of Cereal Cyst Eelworm under Various Grass Species, 145-7.

GOSTICK, K. G. and BAKER, PATRICIA M. Dieldrin Resistant Carrot Fly in England, 182-3.

GOULD, H. J. and LEGOWSKI, T. J. Alternatives to DDT for the Control of Pea Moth on Dry Harvesting Peas, 31-5.

GOULD, H. J. Observations on the Use of a Predator to Control Red Spider Mite on Commercial Cucumber Nurseries, 108-12.

GOULD, H. J. Tests with Insecticides for the Control of Resistant *Myzus persicae* (Sulzer) on Year-Round Chrysanthemums, 88-94.

GRAHAM, C. W. and FLEGG, J. J. M. *Longidorus elongatus* (de Man) Thorne and Swanger on Strawberry (Cultivar Redgauntlet), 191.

GREGORY, P. H. (*joint author*) see Raw, F., 23-5.

HAGUE, N. G. M. Fumigation of Shallot Seed with Methyl Bromide to Control Stem Eelworm, *Ditylenchus dipsaci*, 127-8.

HARRIS, K. M. Cyclamen Mite: A Pest of Michaelmas Daisies, 71-5.

HEATHCOTE, G. D. Protection of Sugar Beet Stecklings against Aphids and Viruses by Cover Crops and Aluminium Foil, 158-61.

HICKMAN, ANTHEA J., and VARMA, ANUPAM. Viruses in Horseradish, 26-30.

HULL, R. The Spray Warning Scheme for Control of Sugar Beet Yellows in England. Summary of Results between 1959-66, 1-10.

HUNTER, P. J., SYMONDS, B. V. and NEWELL, P. F. Potato Leaf and Stem Damage by Slugs, 161-4.

HUSTON, P. (*joint author*), see Bardner, R., 97-103.

JENKINS, J. E. E. (*joint author*) see Macfarlane, I., 167-70.

JOHNSTON, T. D. Club Root in *Brassica*: A Standard Inoculation Technique and the Specification of Races, 184-7.

JONES, MARGARET G., (*joint author*) see Raw, F., 23-5.

LACROIX, E. A. S., and NEWBOLD, J. W. Autumn Treatments against Leatherjackets, 78-82.

LEGOWSKI, T. J., MASKELL, F. E. and WILLIAMS, C. M. Control of Wheat Bulb Fly by Large Area Cropping Restrictions, 129-33.

LEGOWSKI, T. J. Experiments to Control Wheat Bulb Fly with a Flame Thrower, 133-4.

LEGOWSKI, T. J. (*joint author*) see Gould, H. J., 31-5.

LELLIOTT, R. A. Fireblight on Apple in England, 48.

LOFTY, J. R. (*joint author*), see Bardner, R., 97-103.

MACFARLANE, I., JENKINS, J. E. E. and MELVILLE, S. C. A Soil-borne Virus of Winter Oats, 167-70.

MacGarvie, Q. D. Notes on Scottish Fungi, 113-5.

Malone, J. P. Mercury-resistant *Pyrenophora avenae* in Northern Ireland Seed Oats, 41-5.

Marshall, C. (*joint author*) see Scholey, J., 135-9.

Maskell, F. E. (*joint author*), see Bardner, R., 97-103.

Maskell, F. E. (*joint author*) see Legowski, T. J., 129-33.

Matthews, S. and Whitbread, R. Factors Influencing Pre-emergence Mortality in Peas. 1. An Association between Seed Exudates and the Incidence of Pre-emergence Mortality in Wrinkle-seeded Peas, 11-7.

Maude, R. B. and Shuring, C. G. Preliminary Studies on the use of New Seed Treatments for the Control of Loose Smut of Barley, 155-7.

Melville, S. C., and Chalk, T. E. *Alternaria tenuis* on Antirrhinum, 95.

Melville, S. C. (*joint author*) see Macfarlane, I., 167-70.

Morgan Jones, J. Unusual Damage by Clover Seed Weevils, 142.

Murant, A. F. (*joint author*) see Taylor, C. E., 171-8

Newbold, J. W. (*joint author*) see LaCroix, E.A.S., 78-82.

Newell, P. F. (*joint author*) see Hunter, P. J., 161-4.

Preece, T. F. (*joint author*) see Brown, Marion, E., 116-8.

Raw, F., Jones, Margaret G., and Gregory, P. H. The Food of Female Wheat Bulb Flies. (*Leptohylemyia coarctata* (Fall.)), 23-5.

Rosborough, T. Root Drenches Against the Cabbage Root Fly, 18-9.

Rosser, W. R. and Chadburn, Barbara L. Cereal Diseases and their Effects on Intensive Wheat Cropping in the East Midland Region, 1963-65, 51-60.

Royle, D. J. Hop Black Root-rot (*Phytophthora citricola* Sawada) in England, 36-40.

Scholey, J. Marshall, C. and Whitbread, R. A Pathological Problem Associated with Pre-packaging of Potato Tubers, 135-9.

Scopes, N. E. Mass-Rearing of *Phytoseiulus riegeli* Dosse for Use in Commercial Horticulture, 123-6.

Shaw, M. W. and Blasdale, P. Damage by Hessian Fly *Mayetiola destructor* (Say) in Scotland, 190.

Shipton, P. J. A Fruit Rot of Strawberries caused by *Rhizoctonia solani*, 144.

Shipton, P. J. Leaf Spot (*Septoria sisymbrii*) of Watercress, 189.

Shipton, P. J. Slime Mould (*Diachaea leucopoda*) on Strawberry, 188.

Shuring, C. G. (*joint author*) see Maude, R.B., 155-7.

Southey, J. F., New or Unusual Host-plant Records for Plant-parasitic Nematodes, 95-6.

Stone, L. E. W. Cereal Cyst Eelworm in Spring Barley Damage Assessment Experiments 1963-4, 148-50.

Symonds, B. V. (*joint author*) see Hunter, P. J., 161-4.

Taylor, C. E. and Murant, A. F. Chemical Control of Raspberry Ringspot and Tomato Black Ring Viruses in Strawberry, 171-8.

Thomas, P. R. *Aphelenchoides ritzemabosi* on Saintpaulia, 94-5.

Upstone, M. E. The Effects of Methyl Bromide Fumigation and Grafting on Yield and Root Diseases of Tomatoes, 103-7.

Varma, Anupam. (*joint author*) see Hickman, Anthea J., 26-30.

Vernon, J. D. R. Gall Mites on Plum, 165-6.

Vernon, J. D. R. Plum Leaf Mite (*Aculus fockeui* (Nal. and Trt.)), 189-90.

Vernon, J. D. R. (*joint author*) see French, N., 143.

Way, J. M. Effects of MCPA on Lettuce pre-inoculated with Lettuce Mosaic Virus, 75-7.

Whitbread, R. (*joint author*), see Matthews, S., 11-7.

Whitbread, R. (*joint author*) see Scholey, J., 135-9.

Williams, C. M. (*joint author*) see Legowski, T. J., 129-33.

Wolfe, M. S. Physiologic Race Changes in Barley Mildew, 1964-67. 82-7.

Woodville, H. C. Saddle Gall Midge Survey on Barley, 1967, 64-6.

Woodville, H. C. (*joint author*) see French, N., 143.

Wright, D. W. and Coaker, T. H. Development of Dieldrin Resistance in Carrot Fly in England, 178-81.

SUBJECT INDEX

Aculus Fockeui, 189.

Agriolimax reticulatus, 162.

Agromyza ambigua, 61.

Agromyza nigrella, 53, 61.

Agromyza nigrociliata, 61.

Agropyron repens, 114.

Aldrin: Carrot Fly Resistance, 178, 182.

Allium porrum, 96.

Alternaria tenuis, 95.

Anaphalis: Affected by *Meloidogyne hapla*, 96.

Antirrhinum: Leaves affected by *Alternaria tenuis*, 95.

Aphelenchoides ritzemabosi, 94, 96.

"Aphidan" for the Control of:
Myzus persicae, 89.

Aphids:
Insecticides for the Control of *Myzus persicae* resistant to Organophosphorus, 88.
Myzus persicae as Vector of Plum Pox Virus, 68.
Protection of Sugar Beet Stecklings, 158.
Spray Warning for Control of Sugar Beet Yellows, 1.

Aphis fabae, 1, 158.

Apical-meristem Culture to free Horse-radish from Cabbage Black Ring Spot and Cauliflower Mosaic Viruses, 28.

Apion aestivum, 142.

Apple:
Fireblight in England, 48.

Arion hortenis, 162.

Arprocarb for the Control of:
Myzus persicae, 89.

Aster, spp., 71.

Azinphos-methyl for the Control of:
Pea Moth, 33.

Bacillus thuringiensis for the Control of:
Pea Moth, 32.

Bakthane for the Control of:
Pea Moth, 32.

Barley:
Cereal Cyst Eelworm in Damage Assessment Experiments, 148.
Damage by Hessian Fly, 190.
Drechslera siccans on Seed of Dutch and Austrian Origin, 114.
Infested with *Hydrellia griseola*, 61.
Physiologic Race Changes in Mildew 1964-67, 82.
Saddle Gall Midge Survey 1967, 64.
Seed Treatments to Control Loose Smut, 155.

Bayer 37344 for the Control of:
Pea Moth, 32.

Beans: Damage to Runner Beans by Clover Seed Weevils, 142.

Brassica: Inoculation Techniques for Club Root and Race Specification, 184.

Bromophos for the Control of:
Cabbage Root Fly, 18.

Buddleia: Leaves affected by *Aphelenchoides ritzemabosi*, 96.

C.8353 for the Control of:
Myzus persicae, 89.

C.9491 for the Control of:
Myzus persicae, 89.

Carbaryl for the Control of:
Leatherjackets, 79.
Pea Moth, 32.

Carrot:
Dieldrin Resistance in Carrot Fly, 178, 182.

Cauliflower:
Root Drenches against Cabbage Root Fly, 18.

Cercosporella herpotrichoides, 51.

Chamaecyparis lawsoniana, 143.

Chlorfenvinphos for the Control of:
Cabbage Root Fly, 18.
Leatherjackets, 79.

Chloroxuron for the Control of:
Viruses in Strawberry, 171.

Chrysanthemum: Phoma Root Rot in Scotland, 115.

Chrysanthemum spp: Resistance of, to White Rust, 19.

Chrysanthemum:
Infested with Cyclamen Mite, 143.
Insecticides for the Control of Resistant *Myzus persicae*, 88.
Resistance of Cultivars to White Rust, 19.

Clematis: Affected by *Meloidogyne hapla*, 96.

Clover Seed Weevils: Damage to Runner Beans, 142.

Compound A for the Control of:
Leatherjackets, 79.

Compound B for the Control of:
Leatherjackets, 79.

Coprinus radiatus, 24.

Corky Root Rot: Effect of Methyl Bromide and Grafting with Tomatoes, 103.

Corticium solani, 52.

Couch Grass:
Leaf Spot due to *Drechslera tritici-repentis* in Scotland, 114.

Cucumber:
Examination of Seed for *Mycosphaerella melonis*, 116.
Production Costs for Control of Red Spider Mite with *Phytoseiulus riegeli*, 123.
Seed Production in Lea Valley, 117.
Use of Predator to Control Red Spider Mite, 108.

Cyclamen Mite: Infesting Chrysanthemum, 143.

Cypress: Basal Rot caused by *Phytophthora cinnamomi*, 143.

Dahlia: Tobacco Streak Virus, 119.

Dapsilarthra balteata, 61.

D–D for the Control of:
Viruses in Strawberry, 171.

DDT for the Control of:
Pea Moth, 31.

Demeton-methyl for the Control of:
Myzus persicae, 89.

Demeton-S-methyl for the Control of:
Myzus persicae, 89.

Diachaea leucopoda, 188.

Diazinon for the Control of:
Cabbage Root Fly, 18.
Carrot Fly, 178.
Leatherjackets, 79.

Dieldrin: Carrot Fly Resistance, 178, 182.

Dimethoate for the Control of:
Pea Moth, 32.

Disulfoton for the Control of:
Myzus persicae, 89.

Ditylenchus dipsaci, 96, 127.

Drechslera dictyoides, 113.

Drechslera siccans, 113.

Drechslera tritici-repentis, 113.

Eelworm:
Aphelenchoides ritzemabosi damaging Saintpaulia, 94.
Apparatus for Separating *Heterodera* Cysts from Debris, 151.
Cereal Cyst Eelworm in Barley Damage Experiments, 148.
Chemical Control of Viruses in Strawberry, 171.
Fumigation of Shallot Seed with Methyl Bromide to Control Stem Eelworm, 127.
Longidorus elongatus on Strawberry, 191.
New or Unusual Host-plant Records for Plant-parasitic Nematodes, 95.
Population Changes of Cereal Cyst Eelworm Under Grasses, 145.

Ecological Control of Wheat Bulb Fly by Large Area Cropping Restrictions, 129.

Erioischia brassicae, 18.

Eriophyes padi, 165.

Eriophyes similis, 165.

Erwinia amylovora, 48.

Erwinia carotovora, 135.

Erysiphe graminis f. sp. *hordei*, 82.

Ethoate-methyl for the Control of:
Myzus persicae, 89.

Fenitrothion for the Control of:
Pea Moth, 32.

Fenthion for the Control of:
Pea Moth, 32.

Fern: *Pteris* affected by *Phoma* sp., 191.

Fescue: *Drechslera siccans* on Seed and Plants in Scotland, 114.

Flame Thrower: to Control Wheat Bulb Fly, 133.

Folithion for the Control of:
Leatherjackets, 79.

Forecasting:
Control of Sugar Beet Yellows, 1.

Fusarium dimerum, 113.

Fusarium oxysporum, 113.

gamma-BHC: Carrot Fly Resistance, 178, 182.

gamma-BHC for the Control of:
Myzus persicae, 89.

Geranium: Affected by *Meloidogyne hapla*, 96.

Grasses:
As Hosts of Wheat Bulb Fly, 131.
Population Changes of Cereal Cyst Eelworm, 145.

Haplodiplosis equestris, 64.

Helenium:
Affected by *Aphelenchoides ritzemabosi*, 96.
Affected by *Ditylenchus dipsaci*, 96.

Hessian Fly: Damage to Cereals, 190.

Heterodera avenae, 145, 148.

Heterodera rostochienis, 151.

Heuchera: Affected by *Ditylenchus dipsaci*, 96.

Hop: Black Root-rot in England, 36.

Horseradish: Viruses detected, 26.

Hot Water Treatment for the Control of:
Barley Loose Smut, 155.

Hydrellia griseola, 61.

Iris:
Affected by *Meloidogyne hapla*, 96.
Affected by *Meloidogyne incognita acrita*, 96.

Laspeyresia nigricana, 31.

Leatherjackets, 79.

Leatherjackets: Autumn Treatments, 78.

Leek, Seeds infested with *Ditylenchus dipsaci*, 96.

Leptohylemyia coarctata, 23, 97, 129, 133.

Lettuce: Effects of MCPA on Plants pre-inoculated with Mosaic Virus, 75.

Longidorus elongatus, 171, 191.

Losses caused by Take-all in Wheat, 58.

Mayetiola destructor, 190.
MCPA: Effects on Lettuce pre-inoculated with Mosaic Virus, 75.
Mecarbam for the Control of:
Cabbage Root Fly, 18.
Meloidogyne hapla, 96.
Meloidogyne incognita acrita, 96.
Menazon for the Control of:
Myzus persicae, 89.
Mertensia: Leaves affected by *Aphelenchoides ritzemabosi*, 96.
Methidathion for the Control of:
Myzus persicae, 89.
Methyl Bromide:
Effect of Fumigation on Field and Root Diseases of Tomatoes, 103.
Metric Units, 'Plant Pathology' and the Change to, 49.
Michaelmas Daisy: Cyclamen Mite, 71.
Milax budapestensis, 162.
Monocrotophos for the Control of:
Myzus persicae, 89.
Mycosphaerella melonis, 116.
Myzus persicae, 1, 88, 158.

Nasturtium officinale, 189.
N.C. 1493 for the Control of:
Myzus persicae, 89.
New or Uncommon Plant Diseases and Pests, 48, 94-6, 142-4, 188-92.

Oats:
A Soil-borne Mosaic Virus, 167.
Mercury-resistant *Pyrenophora avenae* in Northern Ireland, 41.
Oenothera: Stems affected by *Ditylenchus dipsaci*, 96.
Ophiobolus graminis, 51.
Opius spp., 61.
Oxydemeton-methyl for the Control of:
Myzus persicae, 89.

Parathion for the Control of:
Leatherjackets, 79.
Myzus persicae, 89.
Pea Moth, 34.
Paris Green and Bran for the Control of:
Leatherjackets, 79.
Peas:
Control of Pea Moth, 31.
Factors Influencing Pre-emergence Mortality, 11.
Pest Assessment: Cereal Cyst Eelworm in Barley Damage Experiments, 148.
Phoma sp. in Chrysanthemum, 113.
Phoma sp. Affecting *Pteris*, 191.
Phorate for the Control of:
Leatherjackets, 79.
Phytophthora cactorum, 37.
Phytophthora cinnamomi, 143.
Phytophthora citricola, 36.
Phytophthora cryptogea, 103.
Phytoseiulus riegeli, 108, 123.
Phytotoxicity of various Pesticides to Chrysanthemums, 91.
Plant Pathology:
Microfilm edition, 63.
Reprints of Out-of-date Issues, 63.
Plasmodiophora brassicae, 184.
Plum:
Gall Mites, 165.
Leaf Mite, 189.
Plum Pox (Sharka) in England, 66.
Potato:
Fusarium dimerum in Tuber in Scotland, 113.
Fusarium oxysporum in Tubers in Scotland, 113.
Leaf and Stem Damage by Slugs, 162.
Soft Rots in Polyethylene Bags, 135.
Predators:
Mass-Rearing of *Phytoseiulus riegeli* for Use in Horticulture, 123.
Use of *Phytoseiulus riegeli* to Control Red Spider Mite in Cucumbers, 108.
Pre-emergence Mortality in Peas, 11.
Pre-packaging: Soft Rots in Potato Tubers, 135.
Protodacnusa tristis, 61.
Psila rosae, 178, 182.
Pteris cretica, 191.
Puccinia horiana, 19.
Pyrenophora avenae, 41.
Pythium ultimum, 13.

Quintozene for the Control of:
Viruses in Strawberry, 171.

R.D. 18040 for the Control of:
Pea Moth, 33.
Red Spider Mite: Control with Predator in Cucumbers, 108, 123.
Rhizoctonia solani, 144.
Rhothane for the Control of:
Pea Moth, 32.
Rose: Affected by *Meloidogyne hapla*, 96.
Ryegrass: *Drechslera siccans* on Seed and Plants in Scotland, 114.

Saintpaulia: Damage by *Aphelenchoides ritzemabosi*, 94.
Seed Disinfection:
Fumigation of Shallot with Methyl Bromide to Control Stem Eelworm, 127.
Hot-water Treatment for Control of *Pyrenophora avenae*, 43.
Mercury for Control of *Pyrenophora avenae*, 43.
Mercury-resistance of *Pyrenophora avenae* in Oats, 41.
Thiram Soak for Control of *Pyrenophora avenae*, 43.
To Control Loose Smut of Barley, 155.

Seed Testing:
Low Field Emergence in Peas, 11.

Septomyxa affinis, 23.

Septoria sisymbrii, 189.

Serratula: Affected by *Meloidogyne hapla*, 96.

Slugs: Potato Leaf and Stem Damage, 162.

Sophamide for the Control of:
Myzus persicae, 89.

Steneotarsonemus pallidus, 71, 143.

Strawberry:
Affected by Slime Mould, 188.
Chemical Control of Raspberry Ringspot and Tomato Black Ring Viruses, 171.
Damage by *Longidorus elongatus*, 191.
Fruit Rot caused by *Rhizoctonia solani*, 144.

Sugar Beet:
Protecting Stecklings against Aphids and Viruses by Cover Crops and Aluminium Foil, 158.
Spray Warning for the Control of Yellows, 1.

Supracide for the Control of:
Pea Moth, 33.

Surveys:
Cereal Diseases and Effects on Intensive Cropping, 51.
Cereal Leaf Miner in South-east Region, 61.
Mercury-resistant *Pyrenophora avenae* in Northern Ireland Oats, 41.
Saddle Gall Midge 1967, 64.
Viruses in Horseradish, 27.

TDE for the Control of:
Pea Moth, 32.

Tetranychus urticae, 108, 123.

Thionazin for the Control of:
Myzus persicae, 89.

Thiram for the Control of:
Barley Loose Smut, 155.

Timothy: *Drechslera siccans* on Seedlings in Scotland, 114.

Tipula spp., 78.

Tomato:
Isolates from Wilting Tomato Plants in Scotland, 114.
Methyl Bromide Fumigation and Grafting against Root Diseases, 103.

Traps and Trapping: Wheat Bulb Fly, 97.

Trichloronate for the Control of:
Leatherjackets, 79.

UC 21149 for the Control of:
Myzus persicae, 89.

Ustilago nuda, 155.

Vamidothion for the Control of:
Myzus persicae, 89.

Verticillium tricorpus, 113.

Virus Diseases:
A Soil-borne Mosaic of Oats, 167.
Arabis Mosaic Virus in Horseradish, 26.
Cabbage Black Ring Spot Virus in Horseradish, 26.
Cauliflower Mosaic Virus in Horseradish, 26.
Effects of MCPA on Lettuce pre-inoculated with Lettuce Mosaic, 75.
Plum Pox (Sharka) in England, 66.
Plum Pseudo-pox compared with Plum Pox, 69.
Protection of Sugar Beet Stecklings, 158.
Raspberry Ringspot Virus in Strawberry, 171.
Spray Warning for Control of Sugar Beet Yellows, 1.
Tobacco Streak in Dahlias, 119.
Tomato Black Ring Virus in Strawberry, 171.

"Vitavax" for the Control of:
Barley Loose Smut, 155.

Watercress: Leaf Spot (*Septoria sisymbrii*), 189.

Weather in England and Wales:
Autumn and Winter, 1967-68, 141.
Spring and Summer, 1967, 47.

Wheat:
Cereal Leaf Miner in South-east Region, 61.
Damage by Hessian Fly, 190.
Drechslera siccans on Grain from Wales, 114.
Effects of Cereal Diseases on Intensive Cropping, 51.

Wheat Bulb Fly:
Control by Large Area Cropping Restrictions, 129.
Control with Flame Thrower, 133.
Food of Females, 23.
Movement and Oviposition, 97.

Printed in England for Her Majesty's Stationery Office by J. Looker Ltd., 82 High Street, Poole, Dorset.